

REMARKS

The drawings have been amended to show the ozone filter at 100 and the fan at 200 in Fig. 7. The corresponding specification amendments were also made. Also claim 33 and other related dependent claims were amended to recite "an opening". Thus the drawing problem with respect to the opening 92 is avoided.

The claim 32 objection is avoided since that claim is now cancelled.

The Examiner indicated that claims 42, 43, 45-47, 57 and 58 would be allowed if placed in independent form. This has been done in the following manner. Claims 39 and 42 have been included in claim 31. Thus claim 31 is now allowable.

New claim 63 represents the combination of allowed claims 31, 39, and 43. Thus claim 63 is allowable.

New claim 64 is the combination of claims 31 and 45. Thus claim 64 is allowable. Claims 65 and 66 (previous dependent claims 46 and 47) are allowable since they depend from allowable claim 64. Independent claim 49 includes the subject matter of claims 54 and 57 and is thus allowable. Finally, new claim 62 represents the combination of claims 58, 54 and 49 and is thus allowable.

The respective dependent claims dependent from independent claim 31 are allowable at least for the reasons noted with respect to claim 31 and also by reciting additional features not suggested.

The respective dependent claims depending from allowable claim 49 are allowable at least for the reasons noted with respect to claim 49 and also by reciting additional features not suggested.

Allowance of the application is respectfully requested.

The Commissioner is hereby authorized to charge any additional fees which may be required, or to credit any overpayment to account No. 501519.

Respectfully submitted,

 (Reg. #27,841)

Brett A. Valiquet

Schiff Hardin LLP

Patent Department-6600 Sears Tower

Chicago, Illinois 60606

Telephone: 312-258-5786

Attorneys for Applicants

CUSTOMER NO. 26574

CHI\5492484.1